

WALL TILES COLLECTION

300x600mm

SIMPLE AND SOPHISTICATED

INTERIOR STYLE



COLLECTION YEAR 2023

NEXONA
CERAMIC

MADE IN INDIA
SINCE 2018

WALL EMOTIONS

NEXONA

CERAMIC

WALL EMOTIONS


WALL TILES COLLECTION

DESIGN
SPACES FOR
A LUXURIOUS
LIFESTYLE

The wall tiles enhance your space by highlighting it with its various designs and rich colours. Different patterns and designs depict different lifestyles. Wall tiles create stylish decor for a space. The symmetrical patterns of the wall tiles give a space an elegant appeal and form the perfect blend of classic style and modern chic. At NEXONA, we aspire to create a beautiful space with a modern ambience. Your space reflects your personality and so we curate products that match everyone's decor taste!




300x600mm



CLASSIC AESTHETIC
FEEL FOR YOUR CLASSIC
CULTURAL CHOICE

Smooth and authentic. A uniquely genuine sensation is created by the incredibly authentic veins and shades of colour, perfect for guaranteeing a beautifully smooth overall effect.




300x600 MM



The Possibilities are infinite. PRODUCT

Nexona Ceramics believe that every product is just as unique as God's creation. They have not only put in their sweat into creating world-class products but have also dedicated their minds and hearts.

To create products that are truly outstanding, one needs to understand the heart of it. And in this case it's ceramic. Nexona has researched every aspect of ceramic as a material in terms of its reaction to light, to climatic conditions, etc



Vision:

Our vision is to innovate and create products for the consumers that not only accentuate their homes, but also touch their lives.

Mission:


Our mission is to bring to life the various emotions that exist between the four walls of a home and paint them on a canvas as a testimony of the style, the joy and the memories of the people who live there.

Values:

"It's not hard to make a decision when you know what your values are." - Roy E. Disney

Values are the pillars of any organisation that strengthens its existence. At Nexona, we hold the values of integrity, environmental consciousness, hardwork and equality close to our heart. Our every endeavour is based on the foundation of these value systems, that not only keeps us in check but also helps us grow as an organisation.

FEATURE & SPECIFICATION



STRESSES AND ABRASION

400 kg/cm² of mechanical pressing and firing at 1250°C



CHROMATICALLY STABLE

unchanged by weather and smog



FROST RESISTANT

and sudden thermal changes



THERMAL SHOCK RESISTANT

Resistant 10 cycles



HYGIENIC SURFACE

suitable for living spaces



SURFACE QUALITY

as per eurostandards min 95% required but we have min. 96%



EASY TO CLEAN

surface that suits easy cleaning



STAIN RESISTANT

Resistant to all acids and alkalies & household chemicals



FIRE PROOF

withstand at high temperature



WATER ABSORPTION

EUROSTANDARDS >10% Stand at 12-18 % spaces

COLLECTION
BY
SERIES &
FINISHES





- GLOSSY
- SATIN MATT
- HARD MATT
- RAINDROP

MARVELOUS & SPECTACULAR
SPREE OF
RAVISHING DESIGNS


300x600
GLOSSY

FINISH







1935 L




1935 D



1935 HL1




1936 L



1936 D




1936 HL1




300x600mm
WALL TILES


GLOSSY
FINISH





1937 L




1937 D




1937 HL1




1938 L




1938 D




1939 L




1939 D





1940




1940 D




1940 HL1







1942 L



1941 D




1942 L




1942 D




1942 HL1




300x600mm
WALL TILES




1943 L




1944 L




1943 D



1944 D




1945 L




1945 D




1945 HL1




1946




1946 D




GLOSSY
FINISH




114 L




1947 L




1947 D



114 L





1948 L




1948 D




300x600mm
WALL TILES




114 L




114 L




114 L




114 L




1949 L




1950 L




1951 L




1952 L




1949 D




1950 D



1951 D




1952 D




GLOSSY
FINISH



114 L




1953 L




1953 D




114 L




1954 L




1954 D




300x600mm
WALL TILES




GLOSSY
FINISH




114 L




114 L




114 L




114 L




1955 L




1956 L




1957 L




1958 L




1955 D




1956 D









1957 D



1958 D







300x600mm
WALL TILES




GLOSSY
FINISH




1960 L




1960 L




1960 L




1960 L




1961 HL1




1962 HL1




1963 HL1




1964 HL1




1961 D



1962 D




1963 D




1964 D



300x600mm
WALL TILES




1960 L




1960 L



1965 HL1



1965 D




1966 HL1




1966 D




1055 WHITE



1967 L




1967 HL1




1967 D



1055 WHITE



1968 L




1968 HL1




1968 D




GLOSSY
FINISH




1055 WHITE




1969 L




1969 HL1




1969 D




1055 WHITE



1970 L




1970 HL1




1970 D



300x600mm
WALL TILES



GLOSSY
FINISH




1055 WHITE



1055 WHITE




1055 WHITE




1055 WHITE




1971 L




1972 L




1973 L




1974 L




1971 HL1




1972 HL1




1973 HL1




1974 HL1




1971 D



1972 D



1973 D




1974 D




300x600mm
WALL TILES




GLOSSY
FINISH




1055 WHITE



1055 WHITE




1055 WHITE




1055 WHITE



1975 L



1976 L




1977 L




1978 L



1975 HL1



1976 HL1




1977 HL1



1978 HL1



1975 D



1972 D



1977 D



1978 D



CHARACTERISTICS	EURO STANDARD EN-159/IS 13753	NEXONA VALUE
DIMENSION & SURFACE QUALITY		
Dimension & Surface Quality	± 0.5%	± 0.4%
Deviation in Thickness	± 0.6 mm	± 0.3 mm
Straightness of sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
Water Absorption	> 10%	12-15%
Bending Strength	> 150 kg./cm ²	150-180 kg./cm ²
Scratch hardness (Mohs)	Min. 3	Min. 3
Crazing	1 Cycle	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydro Flouric Acid
Household Chemical	Min Class B	
THERMAL PROPERTIES		
Thermal Shock	Resistant to 10 Cycles	CONFORMS
Thermal Expansion	Max. 9E-06	CONFORMS

Size	Thickness (approx)	Tiles / Box	Coverage Area / Box	Coverage Area / Box	Wt. of Box (approx)
300x600mm	9 mm	5 pcs.	0.90 sq. mtr.	9.69 sq. ft.	14.0 kgs.
300x300mm	8 mm	8 pcs.	0.72 sq. mtr.	7.74 sq. ft.	9.5 kgs.

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above Fast is applicable only for Quality.
3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.

NEXONA

CERAMIC

WALL EMOTIONS

Nexona Ceramic LLP

Survey No. 77 P2/P3/P4,
Bhimgudana marg
Tal: wankaner, At: Ratavirda,
Dist: Morbi - 363 621, (Guj.) INDIA
Email: info@nexonaceramic.com

www.nexonaceramic.com