

# WALL TILES COLLECTION \_\_\_ 300x600mm

SIMPLE AND SOPHISTICATED

INTERIOR STYLE



COLLECTION YEAR 2021 - 2022

MADE IN INDIA  
SINCE 2018

**NEXONA**  
CERAMIC

WALL EMOTIONS

## WALL TILES COLLECTION

### DESIGN SPACES FOR A LUXURIOUS LIFESTYLE

The wall tiles enhance your space by highlighting it with its various designs and rich colours. Different patterns and designs depict different lifestyles. Wall tiles create stylish decor for a space. The symmetrical patterns of the wall tiles give a space an elegant appeal and form the perfect blend of classic style and modern chic. At NEXONA, we aspire to create a beautiful space with a modern ambience. Your space reflects your personality and so we curate products that match everyone's decor taste!




300x600mm



## CLASSIC AESTHETIC FEEL FOR YOUR CLASSIC CULTURAL CHOICE


Smooth and authentic. A uniquely genuine sensation is created by the incredibly authentic veins and shades of colour, perfect for guaranteeing a beautifully smooth overall effect.



## The Possibilities are infinite. PRODUCT

Nexona Ceramics believe that every product is just as unique as God's creation. They have not only put in their sweat into creating world-class products but have also dedicated their minds and hearts.

To create products that are truly outstanding, one needs to understand the heart of it. And in this case it's ceramic. Nexona has researched every aspect of ceramic as a material in terms of its reaction to light, to climatic conditions, etc



### Vision:

Our vision is to innovate and create products for the consumers that not only accentuate their homes, but also touch their lives.

### Mission:

Our mission is to bring to life the various emotions that exist between the four walls of a home and paint them on a canvas is a testimony of the style, the joy and the memories of the people who live there.

### Values:

"It's not hard to make a decision when you know what your values are." - Roy E. Disney

Values are the pillars of any organisation that strengthens its existence. At Nexona, we hold the values of integrity, environmental consciousness, hardwork and equality close to our heart. Our every endeavour is based on the foundation of these value systems, that not only keeps us in check but also helps us grow as an organisation.

**NEXONA**  
CERAMIC

WALL EMOTIONS

## FEATURE & SPECIFICATION



### STRESSES AND ABRASION

400 kg/cm<sup>2</sup> of mechanical pressing and firing at 1250°C



### CHROMATICALLY STABLE

unchanged by weather and smog



### FROST RESISTANT

and sudden thermal changes



### THERMAL SHOCK RESISTANT

Resistant 10 cycles



### HYGIENIC SURFACE

suitable for living spaces



### SURFACE QUALITY

as per eurostandards min 95% required but we have min. 96%



### EASY TO CLEAN

surface that suit easy cleaning



### STAIN RESISTANT

Resistant to all acids and alkalies & household chemicals



### FIRE PROOF

withstand at high temperature



### WATER ABSORPTION

EUROSTANDARDS >10%  
Stand at 12-18% spaces

COLLECTION  
BY  
SERIES &  
FINISHES




- GLOSSY
- SATIN MATT
- HARD MATT
- RAINDROP

MARVELOUS & SPECTACULAR  
SPREE OF  
RAVISHING DESIGNS

300x600

GLOSSY

FINISH



**NEXONA**

CERAMIC

WALL EMOTIONS



7009 L



7009 HL1



7009 D




7009 HL2



7009 HL3



300x600mm  
WALL TILES




7006 L



7007 L



7012 L



7016 L



7006 HL1



7007 HL1




7012 HL1



7016 HL1



7006 HL2




7007 HL2



7012 HL2



7016 HL2



7006 D



7007 D



7012 D



7016 D



**NEXONA**

CERAMIC

WALL EMOTIONS



7014 L



7018 L



7014 HL1



7018 HL1



7014 HL2



7018 HL2



7014 HL3



7018 D



300x600mm  
WALL TILES



7036 L



7037 L



7038 L



7038 HL3



7036 HL1



7037 HL1



7038 HL1



7038 HL4



7036 HL2



7037 HL2



7038 HL2




7036 D



7037 D



7038 D






**NEXONA**

CERAMIC

WALL EMOTIONS



7020 L



7034 L



7020 HL1



7034 HL1



7020 HL2



7034 HL2



7034 D



300x600mm  
WALL TILES



7039 L



7040 L



7039 HL1



7040 HL1



7039 HL2




7040 HL2



7039 D



7040 D



7043 L



7043 HL1



7043 HL2



7043 D



7050 L



7050 HL4



7050 HL2




**NEXONA**

CERAMIC

WALL EMOTIONS



7051 L



7052 L



7051 HL1




7052 HL1



7051 HL2




7052 HL2



7051 D



300x600mm  
WALL TILES



7054 L



7056 L



7054 HL1



7056 HL1



7054 HL2



7056 HL2



7057 L



7057 HL3



7057 HL1



7057 HL4



7057 HL2



7057 D



**NEXONA**

CERAMIC

WALL EMOTIONS



7055 L



7062 L



7055 HL1



7062 HL1




7055 HL2



7062 HL2



300x600mm  
WALL TILES




7063 L



7064 L



7065 L



7066 L



7063 HL1



7064 HL1



7065 HL1



7066 HL1



7063 HL2



7064 HL2



7065 HL2



7066 HL2



7063 D



7065 D



7066 D



**NEXONA**

CERAMIC

WALL EMOTIONS



7061 L



7067 L




7061 HL1



7067 HL1



7061 HL2




7067 HL2



300x600mm  
WALL TILES



7068 L



7069 L




KC 021 L



KC 033 L



7068 HL1



7069 HL1



KC 021 HL1



KC 033 HL1



7068 HL2




7069 HL2



KC 021 D



KC 033 HL2





**NEXONA**

CERAMIC

WALL EMOTIONS



7070 L



7070 HL1




7070 HL3



7070 HL2



300x600mm  
WALL TILES



KC 039 L



KC 040 L



KC 039 HL1




KC 040 HL1



KC 039 HL2



KC 040 HL2



CHARACTERISTICS	EURO STANDARD EN-159/IS 13753	NEXONA VALUE
<b>DIMENSION &amp; SURFACE QUALITY</b>		
Dimension & Surface Quality	± 0.5%	± 0.4%
Deviation in Thickness	± 0.6 mm	± 0.3 mm
Straightness of sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	Min. 95%	Min. 96%
<b>PHYSICAL PROPERTIES</b>		
Water Absorption	> 10%	12-15%
Bending Strength	> 150 kg./cm <sup>2</sup>	150-180 kg./cm <sup>2</sup>
Scratch hardness (Mohs)	Min. 3	Min. 3
Crazing	1 Cycle	No Crazing at 4 Cycles
<b>CHEMICAL PROPERTIES</b>		
Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydro Flouric Acid
Household Chemical	Min Class B	
<b>THERMAL PROPERTIES</b>		
Thermal Shock	Resistant to 10 Cycles	CONFORMS
Thermal Expansion	Max. 9E-06	CONFORMS

Size	Thickness (approx)	Tiles / Box	Coverage Area / Box	Coverage Area / Box	Wt. of Box (approx)
300x600mm	9 mm	5 pcs.	0.90 sq. mtr.	9.69 sq. ft.	14.0 kgs.
300x300mm	8 mm	8 pcs.	0.72 sq. mtr.	7.74 sq. ft.	9.5 kgs.

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above Fast is applicable only for Quality.
3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.

**NEXONA**  
CERAMIC

WALL EMOTIONS

**Nexona Ceramic LLP**

Survey No. 77 P2/P3/P4,  
Bhimgudana marg  
Tal: wankaner, At: Ratavirda,  
Dist: Morbi - 363 621, (Guj.) INDIA  
**Email:** info@nexonaceramic.com

[www.nexonaceramic.com](http://www.nexonaceramic.com)